

Commands

- ▶ **Go to URL URL**
Loads the specified URL in the virtual browser. Usually the first command to perform. Can only be run once per check.
- ▶ **Basic auth login with username and password**
If you need to log in to the server using Basic Authentication.
- ▶ **Click label, name, or CSS selector**
Click on a element such as a button or link but could be any element that can be identified.
- ▶ **Fill in field label, name, or CSS selector with text**
Used to enter text into a form text, password or textarea input field.
- ▶ **Check checkbox label, name, or CSS selector**
Makes a unique form checkbox active.
- ▶ **Uncheck checkbox label, name, or CSS selector**
Makes a unique form checkbox inactive.
- ▶ **Select radio button name**
Selects a unique form radio button.
- ▶ **Select dropdown label, name, or CSS selector with content, value, or CSS selector**
Selects an option in a form element using a select menu.
- ▶ **Submit form form**
Submits a form, can also be done by clicking a submit button.
- ▶ **Wait for element label, name, or CSS selector to exist**
Waits for an element to exist before going to next command. Useful when AJAX content is loaded.
- ▶ **Wait for element label, name, or CSS selector to contain text**
Waits for an element to contain a specified text before going to next command. Useful when AJAX content is loaded.

Validations

- ▶ **URL should be URL**
Checks that the current URL matches the provided URL
- ▶ **HTTP status code should be status**
Checks that the current HTTP status matches the provided status.
- ▶ **Element label, name, or CSS selector should exist**
Checks that an element exists on the page (and is not hidden).
- ▶ **Element label, name, or CSS selector should not exist**
Checks that an element does not exist on the page.
- ▶ **Element label, name, or CSS selector should contain text**
Checks that an element contains the provided text.
- ▶ **Element label, name, or CSS selector should not contain text**
Checks that an element does not contain the provided text.
- ▶ **Text field label, name, or CSS selector should contain text**
Checks that a text or textarea input contains the provided text.
- ▶ **Text field label, name, or CSS selector should not contain text**
Checks that a text or textarea input does not contain the provided text.
- ▶ **Checkbox should be checked label, name, or CSS selector**
Checks that a checkbox is selected.
- ▶ **Checkbox should not be checked label, name, or CSS selector**
Checks that a checkbox is not selected.
- ▶ **Radio button should be selected name**
Checks that a radio button element is selected.
- ▶ **Dropdown label, name, or CSS selector with name content, value, or CSS selector should be selected**
Checks that an option in a select menu is selected.
- ▶ **Dropdown label, name, or CSS selector with name content, value, or CSS selector should not be selected**
Checks that an option in a select menu is not selected.

Parameters

- ▶ **URL**
A valid [URL](#).
- ▶ **username**
A valid username for a [basic authentication](#).
- ▶ **password**
A valid password for a [basic authentication](#).
- ▶ **text**
Any text string that will be matched.
- ▶ **status**
A valid [HTTP status](#), most often 200 which means ok.

Identifiers

- ▶ **label, name, or CSS selector**
Any element label or name or a CSS selector. Must be unique! Read more about CSS selectors in [Wikipedia](#).
- ▶ **name**
An elements [name attribute](#).
- ▶ **content, value, or CSS selector**
An element's text content, value attribute or a CSS selector.
- ▶ **form**
A form's name attribute or CSS selector.

Tips

Use the TAB-button
Quick move in the editor.

Check that page contains a text
Check the BODY element for the text.

Use the default status code
The default HTTP status is always the same status as the page currently has.

Line-breaks
Use a space instead of a line-break in the editor.